



LOGIC Rules Preconference Session



Introductions


- Who are you and where are you from?
- Do you currently use IDS Logic?
- What were you hoping to get from today's session?

How Does IDS Logic Work?

ILLiad




Libraries Configure Logic Rules and Services to best automate workflows, getting data from APIs, web services, and other sources



Z39.50



ALIAS




IDS Logic Connection to ILLiad




Server Addon
allows Read-
Write Access to
ILLiad database



IDS Logic Server
Addon installed in
ILLiad Customization
Manager



IDS Logic Server



OCLC™

ILLiad will then send
selected commands to
OCLC (i.e. cancel, etc)

What Can Server Addons do?

- Insert information into transactions (set fields).
- Route transactions.
- Send some update commands to OCLC/external services (cancel, conditional, shipped)
- Send emails to patrons or other libraries based on criteria you give it.
- Add and remove flags (in 8.5)

Some more of what we've learned

Server Addons can't do

- Update/insert fields in the users field.
- Queries involving lender addresses need to be carefully constructed.

What Logic Rules can do

- Time based keys (compare current date time) to:
 - Due date
 - Creation Date
 - Transaction Date
- Determine if they should be repeated.

What Logic Rules can do

- Query for flag, add flags, remove flags.
- Add information into up to 5 fields in the transaction at once.
- Route
- Email
- Add notes

Rules can be used in tandem, with the second running later.

- Rules can be paired with each other to accomplish a more complex action, or one that involves time elapsing.